

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	53	teig.in. and (two with routing with direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:13
L2	14	teig.in. and (two with routing with direction) and (blockage)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:23
L3	0	teig.in. and (two with routing with direction) and (bloat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:23
L4	0	teig.in. and (bloat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:23
L5	50	teig.in. and (two with routing with direction) and (blockage or obstacle)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:24
L6	1568	716/12,13,14.CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:37
L7	0	((multiple adj2 routing adj2 layer) with (two adj2 routing adj2 directions)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:38
L8	5	((bloated with region)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:39
L9	18	((two with different with routing with direction)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:39

EAST Search History

S2	1463	"716"/\$.CCLS. and (rout\$3 with block\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/05 09:37
S3	153	"716"/\$.CCLS. and (rout\$3 with block\$3) and (routing adj3 direction)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 09:08
S5	10	("5258920" "5303161" "5483461" "5550748" "5673201" "5801960" "5856927" "6011912" "6014507" "6077309").PN. OR ("7065729").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/07/10 15:35
S9	230	(rout\$3 with block\$3) and ((routing adj3 direction) and (rout\$3 adj3 (layer or level)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 15:45
S10	120	(rout\$3 with block\$3) and ((routing adj3 direction) and (rout\$3 adj3 (layer or level))) and "716"/\$.CCLS. and @ad <"20040102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/10 15:50
S11	67	(rout\$3 with block\$3) and ((routing adj3 direction) and (rout\$3 adj3 (layer or level))) and "716"/\$.CCLS. and @ad <"20040102" and non\$1manhattan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 09:03
S14	115	"716"/\$.CCLS. and (rout\$3 with block\$3) and (routing adj3 direction) and (routing adj directions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 09:11
S15	108	"716"/\$.CCLS. and (rout\$3 with block\$3) and (routing adj directions) and @ad<"20040102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 09:14
S16	1	"716"/\$.CCLS. and (unroutable with (region or geometry)) and (routing adj directions) and @ad<"20040102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 14:22
S17	1326	716/12,13,14.CCLS. and @ad<"20040102"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/23 09:36

EAST Search History

S18	6	716/12,13,14.CCLS. and @ad<"20040102" and bloat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/07/11 15:28
-----	---	---	---	----	----	------------------